



UltraClear™

Form: Powder
Flavour: Vanilla
Size: 21 Servings

Information per Serving	Amount
One Serving (2 level scoops)	42 g
Servings per Container	21
Calories	150
Fat	4 g
Sodium	60 mg
Carbohydrate	17 g
Dietary Fibre	2 g
Medicinal Ingredients	
Rice Protein	13 g
Potassium (dipotassium phosphate, potassium iodide)	420 mg
Phosphorus (dicalcium phosphate, dipotassium phosphate)	200 mg
Magnesium (magnesium citrate)	140 mg
Calcium (dicalcium phosphate, calcium citrate)	130 mg
Vitamin C (ascorbic acid)	110 mg
L-Glycine	100 mg
Vitamin E (D-alpha tocopheryl acetate)	53.6 mg AT
L-Methionine	25 mg
L-Lysine (L-lysine HCl)	35 mg
L-Threonine	35 mg
L-Cysteine (L-cysteine HCl)	30 mg
Zinc (zinc gluconate)	10 mg
Niacinamide	7 mg
Iron (ferrous fumarate)	3.6 mg
Pantothenic Acid (calcium d-pantothenate)	3.5 mg
Vitamin B ₆ (pyridoxine HCl)	3.4 mg
Beta-Carotene	2,400 mcg
Thiamin (thiamin HCl)	2 mg
Riboflavin	2 mg
Copper (copper gluconate)	1 mg
Vitamin A (retinyl palmitate)	300 mcg RAE

Biotin	135 mcg
Folate (calcium L-5-methyltetrahydrofolate) ¹	80 mcg
Iodine (potassium iodide)	53 mcg
Chromium (chromium picolinate)	50 mcg
Vitamin B ₁₂ (methylcobalamin)	3.6 mcg
Vitamin D (cholecalciferol)	0.88 mcg

Darmstadt Germany.

Non-Medicinal Ingredients: Rice syrup solids, olive oil, medium-chain triglycerides, natural vanilla flavour, silicon dioxide, and rosemary extract.

Directions: Adults blend, shake, or briskly stir 2 level scoops (44 grams) of UltraClear™ with 237 mL (8 fl. oz.) of water or juice daily or as directed by your healthcare practitioner. Take a few hours before or after taking other medications.

Recommended Use: Source of antioxidants for the maintenance of good health.

Caution: Do not use if you are pregnant or breastfeeding. Ensure to drink enough fluid before, during, and after exercise. Do not use during /following prolonged (>1 hour) exercise/intermittent high intensity exercise/exercise in hot conditions resulting in heavy sweating or following acute dehydration. Do not use with other potassium-containing supplements or with potassium-containing salt-substitutes. May cause nausea, vomiting, diarrhea and/or abdominal cramps. Discontinue use and consult a healthcare practitioner if these symptoms are severe. Stop use if hypersensitivity occurs. Use for up to 6 months or as directed by your healthcare practitioner.

This product is non-GMO and gluten-free.

Shake container well before each use. Do not use if safety seal is missing. Keep tightly closed in a cool, dry place

¹Metafolin® is a registered trademark of Merck KGaA,