











Check or inserting barcodes and other numbers.

Put the customer's edition before printing a color-press proof for checking and approval.

PETER SCHMIDT GROUP								
<b>Client:</b>	Mucos - Wobenzym	<b>Size:</b>	51,2 x 107,9 x 49,6 mm		Cyan	<b>Fonts:</b>	Polo 22 (legend)	<b>ATTENTION:</b> Information concerning screen definition and overfilling is not given in this file. Adaption to the requirements of lithographic production necessary. Please use the original cutting. The measurements are only for orientation, please check the codes also.
<b>Project:</b>	Wobenzym Plus USA	<b>Brand:</b>	USA-Wobenzym Plus 120e200CC		Magenta		Helvetica Neue	
<b>Project-No:</b>	53631.45.H5425	<b>Reference:</b>	HVL10020003.eps		Yellow		Helvetica 35	
<b>Date of creation:</b>	28.10.2013	<b>Printing process:</b>	XXX		Black		Helvetica 87	
<b>Date of update:</b>		<b>Barcode:</b>	3 1053903962 5		Pantone 186 C			
<b>Filename:</b>	WOB_USA_FS_Plus_200CC_IsoCV2.ai	<b>Software:</b>	Adobe Illustrator CS 5		hot foil/Heiðfolie (Silber glänzend)			
<b>Operator:</b>	TR				embossed/hoch geprägt			
					cutter guide/Only for positioning			
<b>PETER SCHMIDT GROUP GMBH</b> ABC-STRASSE 47   20354 HAMBURG   GERMANY   TEL. +49 40 441804-0   FAX +49 40 441804-73								



Please recheck the QR-Codes!

BEST BEFORE DATE  
(6,5 MM)

Put the customer's  
edition before printing a  
color-press proof for  
checking and approval.


201910-120CN
NPN 80041539

**Recommended dose:** Adults: Take 2 tablets twice daily at least 45 minutes before meals with cold water or as recommended by your health care professional. Consult a healthcare practitioner for prolonged use (beyond 1 year).  
**Dosage recommandé :** Adultes : Prendre 2 comprimés, deux fois par jour au moins 45 minutes avant les repas avec de l'eau froide ou tel que recommandé par un professionnel de la santé. Consultez un professionnel de la santé pour un usage prolongé (au-delà d'un an).

**Store in a cool dry place. Do not use if safety seal is broken or missing. Keep out of reach of children. Entreposer dans un endroit frais et sec. Ne pas utiliser si le sceau de sécurité est brisé ou manquant. Gardez hors de portée des enfants.**

**Distributed by / Distribué par :**  
Mucos Canada  
Richmond Hill, ON L4C 0L8  
Wobenzym.ca

**Licence Holder / Détenteur de la licence :**  
Mucos Pharma GmbH & Co. KG,  
Miraustraße 17,  
D-13509 Berlin




# Wobenzym<sup>®</sup>


## plus

A factor in ankle joint injury recuperation. Relieves pain associated with osteoarthritis of the knee and hip.

Aide à récupérer d'une blessure à la cheville. Soulage la douleur associée à l'arthrose du genou et de la hanche.



120 enteric-coated tablets  
120 comprimés à enrobage entérique



**Medicinal Ingredients (per tablet)**  
**Ingrédients médicinaux (par comprimé)**

Amount Per Serving / Quantité par dosage	
Bromelain (from pineapple (Ananas comosus var comosus) stem)	135 mg (675 FIP*/ 5 062 500 FCC PU)
Bromelaine (de tige d'ananas (Ananas comosus var. comosus))	
Trypsin (from porcine (Sus scrofa) or bovine (Bos taurus) pancreas)	72 mg (2160 FIP*/ 172 800 USP trypsin units)
Trypsine (de pancréas porcine (Sus scrofa) ou bovin (Bos taurus))	
Rutoside trihydrate (from Styphnolobium japonicum flower bud)	150 mg
Trihydrate de rutoside (de bourgeons de Styphnolobium japonicum)	

**Cautions and Warnings:** If you have gastrointestinal lesions / ulcers, bleeding disorders, or taking anticoagulant / blood thinner, anti-inflammatory or antibiotic medications, or are about to have surgery, consult a healthcare practitioner prior to use. **Contraindications:** Do not use if you are pregnant or breastfeeding or are sensitive to pork protein. **Known adverse reactions:** Nausea, vomiting and diarrhea have been known to occur, in which case discontinue use (and consult a healthcare practitioner). Hypersensitivity / allergy has been known to occur in which case discontinue use. **Avvertissements et mises en garde :** Si vous souffrez de lésions gastrointestinales / d'ulcères, de problèmes de coagulation, si vous prenez des médicaments anticoagulants, anti-inflammatoires ou antibiotiques, ou si vous êtes sur le point de subir une chirurgie, consultez un professionnel de la santé avant l'usage. **Contraindications :** Ne pas utiliser si vous êtes enceinte, si vous allaitez ou êtes allergique aux protéines porcines. **Effets indésirables connus :** Nausées, vomissements et diarrhées ont été rapportés, dans ces cas cessez l'usage (et consultez un professionnel de la santé). Sensibilités et allergies ont été rapportées, dans ce cas cessez l'usage.

**PETER SCHMIDT GROUP**

**Client:** Mucos - Wobenzym  
**Project:** Wobenzym Plus CAN  
**Project-No:** 53631.12.H5425  
**Date of creation:** 29.10.2013  
**Date of update:** -  
**Filename:** WOB\_CAN\_ET\_Plus\_120er\_IsoCV2.ai  
**Operator:** BR

**Size:** 152,4 x 66,674 mm  
**Brand:** CANADA-Wobenzym Plus Etikett 120er  
**Reference:** 150cc PET.ai  
**Printing process:**  
**PZA-No.:**  
**Software:** Adobe Illustrator CS 5

- Cyan
- Magenta
- Yellow
- Black
- Pantone 186 C
- hot foil/Heißfolie (Silber glänzend)
- varnish/Schutzlack
- cutter guide/Only for positioning

**Fonts:** Polo 22 (legend)  
Helvetica Neue

**ATTENTION:** Information concerning screen definition and overfilling is not given in this file. Adaption to the requirements of lithographic production necessary. Please use the original cutting. The measurements are only for orientation, please check the codes also.

